




Sonomed Escalon™

PACSCAN PLUS
DIGITAL BIOMETRIC RULER



PacScan 300 Plus With New Features in Digital Biometric Ruler

Sonomed Escalon, the brand of choice for ophthalmologists worldwide with products that continue to define the standards in diagnostic ultrasound.

Sonomed Escalon Accuracy

A combination of high frequency, low noise probes and proprietary algorithms enables scan capture immediately upon appplanation along the visual axis with precise measurement of corneal thickness, ACD, lens thickness, and axial length.

Sonomed Escalon Usability

Intuitive interface, customized set-up, precise algorithms, and advanced hardware designs enable quick and easy examination of different eye types.

Sonomed Escalon Reliability

Consistent and accurate results, time after time, year after year, we build unparalleled quality into every ultrasound system. Sonomed Escalon is still supporting instruments manufactured over 20 years ago.

2-in-1 Features:

Automatic Mode
Measure Review
10 Lens Database

Calculated Lens Results
Comparative IOL Review

1. General:

Models:

- 300A+ A-Scan Only
- 300AP+ A-Scan/Pachymeter

PacScan 300 Plus Features:

- High Contrast Color Touch Screen
- User Friendly Graphical Interface
- 5 Programmable User Profiles
- Scan Viewer Archiving Software
- USB Interface
- SD Memory Card
- Built-In Thermal Printer
- Storage Compartment
- Portable Design Weighing 6 lbs (2.7kg)
- Power Requirements:
 - PacScan System: 100-240 VAC; 50/60 Hz
 - Optional Printer: 100-240 VAC; 50/60 Hz

2. 300A+ A-Scan:

Scan Modes:

- Direct Contact/Immersion
- 5 Examination Modes:
 - Cataract
 - Dense Cataract
 - Aphakic
 - Pseudophakic (5 settings)
 - 4-Gate Manual

Measurements:

- ACD, Lens, Vitreous, Axial, Average Axial, Standard Deviation
- Individual Zone Velocities
- Automatic Sensing Algorithm
- Measure Review
- Auto-Calibration

Specifications:

- Clinical Accuracy: $\pm 0.10\text{mm}$
- Electrical Accuracy: $\pm 0.023\text{mm}$
- Lens Calculations in 0.25D Increments
- 10-Lens Database

Formulas:

- Refractive:
 - Binkhorst
 - Regression-II
 - Theoretic/T
 - Holladay
 - Hoffer-Q
 - Haigis
- Post-Refractive:
 - Latkany Myopic
 - Latkany Hyperopic
 - Aramberri Double-K

A-Scan Probe Styles:

- Standard A-Scan Probe for Hand-Held, Immersion, or Slit Lamp Mounted Application

3. Pachymeter (300AP+):

Scan Modes:

- Map 1: Single Point, Single-Scan
- Map 2: Single Point, Multi-Scan
- Map 3: 5 Points, Single-Scan
- Map 4: 5 Points, Multi-Scan
- CCT, IOP Correction
- Calibration

Measurements:

- Adjustable Corneal Velocity
- Automatic Sensing Algorithm
- Measure Review
- 64 Scans Averaged with Standard Deviation
- Internal Accuracy Test
- Auto Calibration

Specifications:

- Range: 125-1000 Microns
- Clinical Accuracy: ± 5 Microns
- Electronic Accuracy: ± 1 Microns
- 20MHz Direct Contact Probe

Pachymeter Probe Styles:

- 20 MHz Straight Pachymeter Probe for Use When Patient is in Sitting Position



-
- 01 PacScan Plus
 - 02 Model 300A+
 - 03 Foot Pedal
 - 04 Direct Contact A-Scan Probe
 - 05 20 MHz Straight Pachymeter Probe
-